

---

## Technical Specifications



### Aprilia Shiver 750 Sport

---

<b>Engine Type</b>	Aprilia <b>V90</b> four-stroke longitudinal 90° V-twin engine, liquid cooled, double overhead camshaft with mixed gear/chain timing system, four valves per cylinder.
<b>Capacity</b>	749.9 cc
<b>Bore and stroke</b>	92 x 56.4 mm
<b>Compression ratio</b>	11 : 1
<b>Maximum power at crank</b>	95 HP at 9000 rpm.
<b>Max Torque at crank</b>	8.25 kgm at 7000 rpm.
<b>Fuel supply</b>	Integrated engine management system. Injection with Ride by Wire technology control of the throttle bodies.
<b>Ignition</b>	Digital electronic, integrated with the injection.
<b>Exhaust system</b>	Two in one system in 100% stainless steel with three-way catalytic converter and Lambda probe.
<b>Clutch</b>	Multi-plate in oil bath. Hydraulically operated.
<b>Lubrication</b>	Wet sump
<b>Frame</b>	Modular tubular steel frame fastened to aluminium side plates by high strength bolts. Removable rear subframe.
<b>Front suspension</b>	43 mm upside-down fork. 120 mm wheel travel.
<b>Rear suspension</b>	Aluminium alloy swingarm with swingarm stiffener brace. Hydraulic shock absorber adjustable in spring preload and rebound damping. Wheel travel: 130 mm.
<b>Front brakes</b>	Wave stainless steel floating disc (Ø 320 mm). Four piston radial callipers. Metal braided brake line.
<b>Rear brake</b>	Wave Stainless steel disc (Ø 240 mm) with single piston calliper. Metal braided brake line.
<b>Wheels</b>	Aluminium alloy <b>Front:</b> 3.50 X 17" <b>Rear:</b> 5.50 X 17"
<b>Length</b>	2265 mm
<b>Width</b>	800 mm (at handlebars)
<b>Height</b>	1135 mm (at instruments)
<b>Tank Capacity</b>	15 Litres

The motorcycle specifications are indicative only and subject to change without notice. Please contact your local dealer for specific information.

---